




Equal Tee: $WP = WS$



Unequal Tee: $WP \neq WS$



Couplers not required
Supplied with cable ladder fixings
All dimensions in mm
Example configuration shown



*Pre-Galv shown.
Change partcode suffix
for other finish

FOR OTHER AVAILABLE SIDE HEIGHTS:

ULTRA LIGHT DUTY
60mm Side Height

PLEASE USE **AL060** IN THE PARTCODE

LIGHT DUTY
85mm Side Height

PLEASE USE **AL085** IN THE PARTCODE

TECHNICAL GUIDE - PAGES 46-62

	PARTCODE *	WP	WS	WP1	WS1	X1	X	Y1	Y
MEDIUM DUTY 100mm Side Height	AL100-ET-150-R300/PG	150	150	200	200	525	1050	525	625
	AL100-UT-150-200-R300/PG	150	200	200	250	550	1100	525	625
	AL100-UT-150-300-R300/PG	150	300	200	350	600	1200	525	625
	AL100-UT-150-450-R300/PG	150	450	200	500	675	1350	525	625
	AL100-UT-150-600-R300/PG	150	600	200	650	750	1500	525	625
	AL100-UT-150-750-R300/PG	150	750	200	800	825	1650	525	625
	AL100-UT-150-900-R300/PG	150	900	200	950	900	1800	525	625
	AL100-UT-200-150-R300/PG	200	150	250	200	525	1050	550	675
	AL100-ET-200-R300/PG	200	200	250	250	550	1100	550	675
	AL100-UT-200-300-R300/PG	200	300	250	350	600	1200	550	675
	AL100-UT-200-450-R300/PG	200	450	250	500	675	1350	550	675
	AL100-UT-200-600-R300/PG	200	600	250	650	750	1500	550	675
	AL100-UT-200-750-R300/PG	200	750	250	800	825	1650	550	675

	PARTCODE *	WP	WS	WP1	WS1	X1	X	Y1	Y
MEDIUM DUTY 100mm Side Height	AL100-UT-200-900-R300/PG	200	900	250	950	900	1800	550	675
	AL100-UT-300-150-R300/PG	300	150	350	200	525	1050	600	775
	AL100-UT-300-200-R300/PG	300	200	350	250	550	1100	600	775
	AL100-ET-300-R300/PG	300	300	350	350	600	1200	600	775
	AL100-UT-300-450-R300/PG	300	450	350	500	675	1350	600	775
	AL100-UT-300-600-R300/PG	300	600	350	650	750	1500	600	775
	AL100-UT-300-750-R300/PG	300	750	350	800	825	1650	600	775
	AL100-UT-300-900-R300/PG	300	900	350	950	900	1800	600	775
	AL100-UT-450-150-R300/PG	450	150	500	200	525	1050	675	925
	AL100-UT-450-200-R300/PG	450	200	500	250	550	1100	675	925
	AL100-UT-450-300-R300/PG	450	300	500	350	600	1200	675	925
	AL100-ET-450-R300/PG	450	450	500	500	675	1350	675	925
	AL100-UT-450-600-R300/PG	450	600	500	650	750	1500	675	925
	AL100-UT-450-750-R300/PG	450	750	500	800	825	1650	675	925
	AL100-UT-450-900-R300/PG	450	900	500	950	900	1800	675	925
	AL100-UT-600-150-R300/PG	600	150	650	200	525	1050	750	1075
	AL100-UT-600-200-R300/PG	600	200	650	250	550	1100	750	1075
	AL100-UT-600-300-R300/PG	600	300	650	350	600	1200	750	1075
	AL100-UT-600-450-R300/PG	600	450	650	500	675	1350	750	1075
	AL100-ET-600-R300/PG	600	600	650	650	750	1500	750	1075
	AL100-UT-600-750-R300/PG	600	750	650	800	825	1650	750	1075
	AL100-UT-600-900-R300/PG	600	900	650	950	900	1800	750	1075
	AL100-UT-750-150-R300/PG	750	150	800	200	525	1050	825	1225
	AL100-UT-750-200-R300/PG	750	200	800	250	550	1100	825	1225
	AL100-UT-750-300-R300/PG	750	300	800	350	600	1200	825	1225
	AL100-UT-750-450-R300/PG	750	450	800	500	675	1350	825	1225
	AL100-UT-750-600-R300/PG	750	600	800	650	750	1500	825	1225
	AL100-ET-750-R300/PG	750	750	800	800	825	1650	825	1225
	AL100-UT-750-900-R300/PG	750	900	800	950	900	1800	825	1225
	AL100-UT-900-150-R300/PG	900	150	950	200	525	1050	900	1375
	AL100-UT-900-200-R300/PG	900	200	950	250	550	1100	900	1375
	AL100-UT-900-300-R300/PG	900	300	950	350	600	1200	900	1375
	AL100-UT-900-450-R300/PG	900	450	950	500	675	1350	900	1375
	AL100-UT-900-600-R300/PG	900	600	950	650	750	1500	900	1375
	AL100-UT-900-750-R300/PG	900	750	950	800	825	1650	900	1375
	AL100-ET-900-R300/PG	900	900	950	950	900	1800	900	1375

	PARTCODE *	WP	WS	WP1	WS1	X1	X	Y1	Y
HEAVY DUTY 125mm Side Height	AL125-ET-150-R300/PG	150	150	200	200	525	1050	525	625
	AL125-UT-150-200-R300/PG	150	200	200	250	550	1100	525	625
	AL125-UT-150-300-R300/PG	150	300	200	350	600	1200	525	625
	AL125-UT-150-450-R300/PG	150	450	200	500	675	1350	525	625
	AL125-UT-150-600-R300/PG	150	600	200	650	750	1500	525	625
	AL125-UT-150-750-R300/PG	150	750	200	800	825	1650	525	625
	AL125-UT-150-900-R300/PG	150	900	200	950	900	1800	525	625
	AL125-UT-200-150-R300/PG	200	150	250	200	525	1050	550	675
	AL125-ET-200-R300/PG	200	200	250	250	550	1100	550	675
	AL125-UT-200-300-R300/PG	200	300	250	350	600	1200	550	675
	AL125-UT-200-450-R300/PG	200	450	250	500	675	1350	550	675
	AL125-UT-200-600-R300/PG	200	600	250	650	750	1500	550	675
	AL125-UT-200-750-R300/PG	200	750	250	800	825	1650	550	675
	AL125-UT-200-900-R300/PG	200	900	250	950	900	1800	550	675
	AL125-UT-300-150-R300/PG	300	150	350	200	525	1050	600	775
	AL125-UT-300-200-R300/PG	300	200	350	250	550	1100	600	775
	AL125-ET-300-R300/PG	300	300	350	350	600	1200	600	775
	AL125-UT-300-450-R300/PG	300	450	350	500	675	1350	600	775
	AL125-UT-300-600-R300/PG	300	600	350	650	750	1500	600	775
	AL125-UT-300-750-R300/PG	300	750	350	800	825	1650	600	775
	AL125-UT-300-900-R300/PG	300	900	350	950	900	1800	600	775
	AL125-UT-450-150-R300/PG	450	150	500	200	525	1050	675	925
	AL125-UT-450-200-R300/PG	450	200	500	250	550	1100	675	925
	AL125-UT-450-300-R300/PG	450	300	500	350	600	1200	675	925
	AL125-ET-450-R300/PG	450	450	500	500	675	1350	675	925
	AL125-UT-450-600-R300/PG	450	600	500	650	750	1500	675	925
	AL125-UT-450-750-R300/PG	450	750	500	800	825	1650	675	925
	AL125-UT-450-900-R300/PG	450	900	500	950	900	1800	675	925
	AL125-UT-600-150-R300/PG	600	150	650	200	525	1050	750	1075
	AL125-UT-600-200-R300/PG	600	200	650	250	550	1100	750	1075
	AL125-UT-600-300-R300/PG	600	300	650	350	600	1200	750	1075
	AL125-UT-600-450-R300/PG	600	450	650	500	675	1350	750	1075
	AL125-ET-600-R300/PG	600	600	650	650	750	1500	750	1075
	AL125-UT-600-750-R300/PG	600	750	650	800	825	1650	750	1075
	AL125-UT-600-900-R300/PG	600	900	650	950	900	1800	750	1075
	AL125-UT-750-150-R300/PG	750	150	800	200	525	1050	825	1225

	PARTCODE *	WP	WS	WP1	WS1	X1	X	Y1	Y
HEAVY DUTY 125mm Side Height	AL125-UT-750-200-R300/PG	750	200	800	250	550	1100	825	1225
	AL125-UT-750-300-R300/PG	750	300	800	350	600	1200	825	1225
	AL125-UT-750-450-R300/PG	750	450	800	500	675	1350	825	1225
	AL125-UT-750-600-R300/PG	750	600	800	650	750	1500	825	1225
	AL125-ET-750-R300/PG	750	750	800	800	825	1650	825	1225
	AL125-UT-750-900-R300/PG	750	900	800	950	900	1800	825	1225
	AL125-UT-900-150-R300/PG	900	150	950	200	525	1050	900	1375
	AL125-UT-900-200-R300/PG	900	200	950	250	550	1100	900	1375
	AL125-UT-900-300-R300/PG	900	300	950	350	600	1200	900	1375
	AL125-UT-900-450-R300/PG	900	450	950	500	675	1350	900	1375
	AL125-UT-900-600-R300/PG	900	600	950	650	750	1500	900	1375
	AL125-UT-900-750-R300/PG	900	750	950	800	825	1650	900	1375
	AL125-ET-900-R300/PG	900	900	950	950	900	1800	900	1375



*Pre-Galv shown.
Change partcode suffix
for other finish

FOR OTHER AVAILABLE SIDE HEIGHTS:

ULTRA LIGHT DUTY
60mm Side Height
PLEASE USE **AL060** IN THE PARTCODE

LIGHT DUTY
85mm Side Height
PLEASE USE **AL085** IN THE PARTCODE

TECHNICAL GUIDE - PAGES 46-62

	PARTCODE *	WP	WS	WP1	WS1	X1	X	Y1	Y
ULTRA HEAVY DUTY 150mm Side Height	AL150-ET-150-R300/PG	150	150	200	200	525	1050	525	625
	AL150-UT-150-200-R300/PG	150	200	200	250	550	1100	525	625
	AL150-UT-150-300-R300/PG	150	300	200	350	600	1200	525	625
	AL150-UT-150-450-R300/PG	150	450	200	500	675	1350	525	625
	AL150-UT-150-600-R300/PG	150	600	200	650	750	1500	525	625
	AL150-UT-150-750-R300/PG	150	750	200	800	825	1650	525	625
	AL150-UT-150-900-R300/PG	150	900	200	950	900	1800	525	625
	AL150-UT-200-150-R300/PG	200	150	250	200	525	1050	550	675
	AL150-ET-200-R300/PG	200	200	250	250	550	1100	550	675
	AL150-UT-200-300-R300/PG	200	300	250	350	600	1200	550	675
	AL150-UT-200-450-R300/PG	200	450	250	500	675	1350	550	675
	AL150-UT-200-600-R300/PG	200	600	250	650	750	1500	550	675
	AL150-UT-200-750-R300/PG	200	750	250	800	825	1650	550	675

	PARTCODE *	WP	WS	WP1	WS1	X1	X	Y1	Y
ULTRA HEAVY DUTY 150mm Side Height	AL150-UT-200-900-R300/PG	200	900	250	950	900	1800	550	675
	AL150-UT-300-150-R300/PG	300	150	350	200	525	1050	600	775
	AL150-UT-300-200-R300/PG	300	200	350	250	550	1100	600	775
	AL150-ET-300-R300/PG	300	300	350	350	600	1200	600	775
	AL150-UT-300-450-R300/PG	300	450	350	500	675	1350	600	775
	AL150-UT-300-600-R300/PG	300	600	350	650	750	1500	600	775
	AL150-UT-300-750-R300/PG	300	750	350	800	825	1650	600	775
	AL150-UT-300-900-R300/PG	300	900	350	950	900	1800	600	775
	AL150-UT-450-150-R300/PG	450	150	500	200	525	1050	675	925
	AL150-UT-450-200-R300/PG	450	200	500	250	550	1100	675	925
	AL150-UT-450-300-R300/PG	450	300	500	350	600	1200	675	925
	AL150-ET-450-R300/PG	450	450	500	500	675	1350	675	925
	AL150-UT-450-600-R300/PG	450	600	500	650	750	1500	675	925
	AL150-UT-450-750-R300/PG	450	750	500	800	825	1650	675	925
	AL150-UT-450-900-R300/PG	450	900	500	950	900	1800	675	925
	AL150-UT-600-150-R300/PG	600	150	650	200	525	1050	750	1075
	AL150-UT-600-200-R300/PG	600	200	650	250	550	1100	750	1075
	AL150-UT-600-300-R300/PG	600	300	650	350	600	1200	750	1075
	AL150-UT-600-450-R300/PG	600	450	650	500	675	1350	750	1075
	AL150-ET-600-R300/PG	600	600	650	650	750	1500	750	1075
	AL150-UT-600-750-R300/PG	600	750	650	800	825	1650	750	1075
	AL150-UT-600-900-R300/PG	600	900	650	950	900	1800	750	1075
	AL150-UT-750-150-R300/PG	750	150	800	200	525	1050	825	1225
	AL150-UT-750-200-R300/PG	750	200	800	250	550	1100	825	1225
	AL150-UT-750-300-R300/PG	750	300	800	350	600	1200	825	1225
	AL150-UT-750-450-R300/PG	750	450	800	500	675	1350	825	1225
	AL150-UT-750-600-R300/PG	750	600	800	650	750	1500	825	1225
	AL150-ET-750-R300/PG	750	750	800	800	825	1650	825	1225
	AL150-UT-750-900-R300/PG	750	900	800	950	900	1800	825	1225
	AL150-UT-900-150-R300/PG	900	150	950	200	525	1050	900	1375
	AL150-UT-900-200-R300/PG	900	200	950	250	550	1100	900	1375
	AL150-UT-900-300-R300/PG	900	300	950	350	600	1200	900	1375
	AL150-UT-900-450-R300/PG	900	450	950	500	675	1350	900	1375
	AL150-UT-900-600-R300/PG	900	600	950	650	750	1500	900	1375
	AL150-UT-900-750-R300/PG	900	750	950	800	825	1650	900	1375
	AL150-ET-900-R300/PG	900	900	950	950	900	1800	900	1375